\$	00000000 00000000 00000000	RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR		333333333 333333333 3333333333	222222222
\$\$\$ \$\$\$ \$\$\$	000 000 000 000	RRR RRR RRR RRR	111	333 333 333 333	222 222 222 222 222
\$\$\$ \$\$\$ \$\$\$ \$\$\$ \$\$\$	000 000 000 000 000 000	RRR RRR RRR RRR RRR RRRRRRRRRRRRRRRR	111	333 333 333	222
\$\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$\$\$	000 000 000 000 000	RRRRRRRRRRR RRRRRRRRRRRR RRR RRR	111	333	222
\$\$\$ \$\$\$ \$\$\$	000 000 000 000	RRR RRR RRR RRR RRR RRR	††† †††	333	222
\$\$\$ \$\$\$ \$\$\$	000 000	RRR RRR RRR RRR	††† †††	333 333 333333333	222
\$	00000000	RRR RRR	†††	33333333 33333333	2222222222222222

Pse

_\$2

SOR

SOR

SOR

SOR

LI

\$	FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	KK	*** *** *** *** *** *** *** *** *** **	RRRRRRRR RRRRRRRR RR RR RR RR RR RR RRRRRR	DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	
RRRRRRRR RRRRRRRR RR RR RR RR RR RR RR RR RRRRRR		QQQQQQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ				

FILEID**SFKEYWRD

SOR

MAC

! File: SFKEYWRD.REQ IDENT = 'VO4-000' ! File: SFKEYWRD.REQ Edit: PDG3006

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

FACILITY:

VAX-11 SORT / MERGE PDP-11 SORT / MERGE

ABSTRACT:

Require file to define spec file keywords.

ENVIRONMENT: VAX/VMS user mode

AUTHOR: V. Bennison

MODIFIED BY:

T03-002 Peter D Gilbert
Add ZONED, change PACKED to PACKED DECIMAL. PDG 10-Jan-1983
T03-003 Add CDD_PATH_NAME and PAD. PDG 8-Feb-1983
T03-004 Correct spelling of TRAILING SIGN. PDG 2-Mar-1983
T03-005 Change DEC_MULTINATIONAL to MULTINATIONAL. PDG 13-Apr-1983
T03-006 Add DTYPE. 19-May-1983

LIT

This require file contains the symbolic names and strings that define the PDP-11 SORT/MERGE Version 3.0 specification file keywords. This file is required by module \$SFWRD, the specification file keyword module.

The text appears in the following format: under the KEYWORDS MACRO definition are a number of sets of two strings. The first string in each set is the symbolic keyword name. This will be assigned a sequential number at compile time. The second string is the actual keyword used by the parser. Note that some actual keywords may be prefixes of other keywords (for example, ASCII and ASCII_FLOATING, LE and LEADING_SIGN).

***** TRANSLATION INSTRUCTIONS *****

Specification file keywords for PDP-11 SORT/MERGE may be translated into foreign languages. In order to do this, the keyword string, the second string in each of the following sets, should be translated. \$SFWRD may then be recompiled using BLISS-16. PDP-11 SORT/MERGE should then be rebuilt with the task-builder.

CAUTION - CAUTION - CAUTION - CAUTION - CAUTION - CAUTION

ONLY THE KEYWORD STRING MAY BE TRANSLATED. IF THE FIRST STRING IN EACH SET, THE SYMBOLIC MESSAGE NAME, IS CHANGED, THE PDP-11 SORT/MERGE SPECIFICATION FILE PARSER WILL NOT OPERATE CORRECTLY.

RESTRICTION: THE MAXIMUM LENGTH OF ANY KEYWORD IS 256 BYTES. THIS IS BECAUSE THE MESSAGE TEXT MODULE USES THE BLISS %ASCIC FUNCTION TO BUILD COUNTED STRINGS.

CHANGING THE LENGTH OF THE KEYWORD STRINGS WILL HAVE AN AFFECT ON THE SIZE OF THE FINAL TASK. MANY LONG STRINGS MAY MAKE THE FINAL SORT/MERGE TASK LARGER THAN THE TASK ORIGINALLY SHIPPED.

LIT

LIT

LIT

LIT

```
16-SEP-1984 16:58:00.06 Page 3
SFKEYWRD.REQ:1
  NOTE - THE SYMBOLIC KEYWORD NAME MUST NOT EXCEED 6 BYTES
  PLEASE USE THE EXAMPLE PRESENTED BELOW AS A GUIDE FOR FORMATTING LINES
                            'DUMMY MESSAGE FOR FORMATTING GUIDE',
          'DUMMYA'.
MACRO
     'PROC', 'PROCESS'
'RECD', 'RECORD'
'TAG', 'TAG'
                                                          process
                                                          !record sort process
                                                          tag sort process
          ADDR',
'INDX',
'STAB',
                     'ADDRESS'
                    'INDEX'
                                                          !index sort process
                                                          !stable
           'NOST'
                     'NOSTABLE'
                                                          !no stable
          'CHSQ'
                     'CHECK SEQUENCE'
'NOCHECK SEQUENCE'
'COLLATING SEQUENCE'
                                                          !check sequence
           'NOCH'
                                                          !no check sequence
           COLL :
                                                          !collating sequence
           'SEQU'
                                                          !sequence
!ascii collating sequence
           'ASC'
                     'ASCII'
          EBC'.
                     'EBCDIC'
                                                          !ebcdic
                     'MULTINATIONAL'
'MODIFICATION'
'IGNORE'
                                                          multinational modification
           MODE
           'IGNO'
                                                          !ignore
                     'FOLD'
           'FOLD'
                                                          !fold
                     'TIE BREAK'
'NOTIE BREAK'
'FIELD'
'NAME'
           'TIEB'
                                                          !tiebreak
           'NOTI'
                                                          ino tiebreak
          'FIEL'
                                                          !field
           'NAME'
                                                          !name
          'SIZE'
                                                          !size
          'POSI'
                     'POSITION'
                                                          !position
          'DIGI'
                                                          digits
lascii floating data type
lascii zone data type
                     'ASCII_FLOATING'
'ASCII_ZONED'
'BINARY'
          'ASCF'
           'ASCZ'
           BINA'
                                                          binary data type
character
                     'CHARACTER'
'DECIMAL'
'DIBOL'
           'CHAR'
          'DECI'
                                                          !decimal
                                                          dibol
f floating
d floating
           'DIBO'
                     'F_FLOATING'
'D_FLOATING'
'G_FLOATING'
'H_FLOATING'
'PACKED_DECIMAL'
'ZONED'
'SIGNED'
           'FFLT'
           DFLT"
           GFLT"
                                                          g floating
h floating
           HFLT"
           PACK .
                                                          !packed decimal
          ZONE'
                                                          !zoned
                                                          !signed
           'UNSI'
                     'UNSIGNED'
                                                          unsigned
leading sign
trailing sign
                    'LEADING SIGN'
'TRAILING SIGN'
'OVERPUNCHED SIGN'
'SEPARATE SIGN'
'INCLUDE'
'OMIT'
           LEAD'
           'OVER'
                                                          !overpunched sign
           SEPA"
                                                          |separate sign
           INCL'
                                                          omit
           KEY
                     KEY.
                                                          key
           'THEN', 'THEN'
                                                          !then
```

SORL

LITE

LITE

MACE

LITI

```
SFKEYWRD.REQ;1

'ELSE', 'ELSE'
'ASCENDING'
'DESC', 'DESCENDING'
'DATA', 'DATA'
'COND', 'CONDITION'
'TEST', 'TEST'
'EQ', 'PE'
'NE', 'NE'
'LE', 'LE'
'LE', 'LE'
'LE', 'LE'
'LE', 'LE'
'LE', 'LE'
'GE', 'GE'
'GT', 'GT'
'AND', 'AND'
'OR', 'OR'
'OR', 'OR'
'WORK', 'WORK FILES'
'CDD', 'CDD PATH_NAME'
'PAD', 'PAD'
'DTYPE'
'UNKN', 'Z; ! LAST KEYWORD - DO NOT CHANGE
```

SORI

! De

MACI

MACI

STR

MAC

0362 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

